## **CERTIFICATE OF ANALYSIS**

**Customer:** 

SA Botanicals 13423 Blanco Rd. # 105

San Antonio, Tx 78216

007386

Sample ID: Laboratory Number: ATL-779 **ACCURATE** 

Report Issue Date 07/07/2021

Extraction Technician: HP Analytical Chemist: HP

Hernan Prieto

Sample

Description/Size:

Broad Spectrum Tincture

30ml / 2000mg



Order Date 07/01/2021

Analysis Date 07/02/2021

## CANNABINOID **PROFILE**

Cannabinoids (HPLC	Resu	Cannabinoid (%)												
Test	LOD (mg/g)	mg/tincture	%	0		20		40	#	60		80	1	100
Cannabidivarin (CBDV)	<2.0	0	0							//				
Cannabidiolic Acid (CBD-A)	N/A	0	0					/			1			
Cannabigerolic Acid (CBG-A)	N/A	0	0			1	//	1.	1	1				
Cannabigerol (CBG)	<2.0	0	0						4		X			
Cannabidiol (CBD)	<2.0	2282.3	8.01	IIII					<del>/</del>					
Cannabinol (CBN)	<2.0	0	0											
Delta 9-Tetrahydrocannabinol (THC)	<2.0	0	0											
Delta 8-Tetrahydrocannabinol	<2.0	0	0	$\triangle$	$\wedge$					\ .				
Delta 10-Tetrahydrocannabinol (THC)	<2.0	0	0				1			1				
Cannabichromene(CBC)	<2.0	0	0						1					
Delta-9-Tetrahydrocannabinolic Acid (THC-A)	N/A /	0	0		M	1								

## **Cannabinoids Total**

Test	-	mg/tincture	%	0	20	40		60	80	100
Max Active THC	HK M	0	0	$\bigvee$						
Max Active CBD		2282,3	8.01	MII						
T.Active Cannabinoids		2282.3	8.01				1			
Total Cannabinoids		2282.3	8.01	VIIII V	. X \					

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.



N/A = Not Analalyze