Customer:

ner: 13423 Blanco Rd. # 105 San Antonio, TX 78216

Sample ID: 106106 Laboratory Number: ALT-812



CERTIFICATE OF ANALYSIS

Report Issue Date 07/09/2021

Extraction Technician: HP Analytical Chemist: HP

Hernan Prieto

Sample Description/Size:

Broad Spectrum Tincture 30ml / 2000mg

SA Botanicals

CANNABINOID PROFILE



Order Date	Analysis Date
07/07/2021	07/07/2021

Cannabinoids (HPL	C)	Resu	lts		Inabi	noid	(%)	Λ			\square
Test	LOD (mg/g)	mg/tincture	%	0	X	20	4	0	60	80	100
Cannabidivarin (CBDV)	<2.0	0	0	\sum				/			
Cannabidiolic Acid (CBD-A)	N/A	0	Q	$\sqrt{}$			1	\square			
Cannabigerolic Acid (CBG-A)	N/A	0	0				\square				
Cannabigerol (CBG)	<2.0	0	0					\wedge			
Cannabidiol (CBD)	<2.0	2046.87	7.18	1111		<		\checkmark			
Cannabinol (CBN)	<2.0	0	0	I		<					
Delta 9-Tetrahydrocannabinol (THC)	<2.0	0	0			7					
Delta 8-Tetrahydrocannabinol	<2.0	0	0	$\frac{1}{1}$		$\langle \rangle$					
Delta 10-Tetrahydrocannabinol (THC)	<2.0	0	0	$\mathcal{I}(\mathbf{x})$	()/		1				
Cannabichromene(CBC)	<2.0	0	0		X						
Delta-9-Tetrahydrocannabinolic Acid (THC-A	N/A	0	0		$\langle \langle \rangle$						
Cannabinoids Total					\land		X				
Test		mg/tincture	%	0		20		10	60	80	100
Max Active THC		0	0		\bigvee						
Max Active CBD		2046.87	7.18				$\left[\right]$				
T.Active Cannabinoids	Ń	2046.87	7.18	IIII		$\langle \rangle \rangle$					
	1		/	1/11/1	\backslash	-\	\mathbf{h}		\mathcal{A}		

Analysis Method: ATL-PLC-001

Total Cannabinoids

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/A = Not Analalyze

7.18



2046.87

Tel: (954) 515-0200