CERTIFICATE OF ANALYSIS

Customer:

SA Botanicals

13423 Blanco Rd. # 105 San Antonio, Tx 78216

104133

Sample ID: Laboratory Number: ATL-781 **ACCURATE**

Report Issue Date 07/07/2021

Extraction Technician: HP Analytical Chemist: HP

Sample

Description/Size:

CBD Strawberry Rings 25pcs / 750mg - Gummies

< 2.0

N/A



Cannabinoid (%)

Hernan Prieto

CANNABINOID **PROFILE**

Cannabinoids (HPLC)

Order Date Analysis Date 07/02/2021 07/01/2021

Test	LOD (mg/g)	mg/gummy	%	0	20	40	60	80	100
Cannabidivarin (CBDV)	<2.0	0	0						
Cannabidiolic Acid (CBD-A)	N/A	0	0						
Cannabigerolic Acid (CBG-A)	N/A	0	0						
Cannabigerol (CBG)	<2.0	0	0						
Cannabidiol (CBD)	<2.0	31.91	0.42	II	<				
Cannabinol (CBN)	<2.0	0	0						
Delta 9-Tetrahydrocannabinol (THC)	<2.0	0	0						
Delta 8-Tetrahydrocannabinol	<2.0	0	0	$\wedge \wedge $					
Delta 10-Tetrahydrocannabinol (THC)	<2.0	0	0 /			1			

Results

Cannabinoids Total

Delta-9-Tetrahydrocannabinolic Acid (THC-A)

Cannabichromene(CBC)

Test		mg/gummy	%	0	20	40	60	80	100
Max Active THC	HH [0	0						
Max Active CBD		31.91	0.42	\mathcal{M}					
T.Active Cannabinoids		31.91	0.42						
Total Cannabinoids		31.91	0.42						

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.



N/A = Not Analalyze

0

0

0