SA Botanicals.

**Customer:** 

Sample ID:

13423 Blanco Rd #105. San Antonio, TX 78216

106111 Laboratory Number: ATL-974 **ACCURATE** 

Report Issue Date 07/23/2021

Extraction Technician: HP Analytical Chemist: HP

Hernan Prieto

Sample Description/Size:

CBD Strawberry Rings / 750mg



Order Date 07/19/2021

Analysis Date 07/22/2021

## CANNABINOID **PROFILE**

Cannabinoids (HPLC	Resu	Its	Cannabinoid (%)											
Test	LOD (mg/g)	mg/gummy	%	0		20		40		60	80		100	
Cannabidivarin (CBDV)	<2.0	0	0						- $A$					
Cannabidiolic Acid (CBD-A)	N/A	0	0						1/	1				2
Cannabigerolic Acid (CBG-A)	N/A	0	0		ļ		//			4				
Cannabigerol (CBG)	<2.0	0	0											
Cannabidiol (CBD)	<2.0	31.0	0.37	II										
Cannabinol (CBN)	<2.0	0	0										><	
Delta 9-Tetrahydrocannabinol (THC)	<2.0	0	0			7								
Delta 8-Tetrahydrocannabinol	<2.0	0	0	$\wedge$										
Delta 10-Tetrahydrocannabinol (THC)	<2.0	0	0				1				+			-
Cannabichromene(CBC)	<2.0	0	0											
Delta-9-Tetrahydrocannabinolic Acid (THC-A)	N/A	0	0	$\mathcal{A}$	MA	14						1		

## **Cannabinoids Total**

Test	4////	mg/gummy %	0	20 4	10	60 80	100
Max Active THC	HH III	0					
Max Active CBD		31.0 0.37					
T.Active Cannabinoids		31.0					
Total Cannabinoids		31.0 0.37	XII V				

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.



N/A = Not Analalyze