

Customer:

SA Botanicals.
13423 Blanco Rd #105.
San Antonio, TX 78216



Report Issue Date
10/29/2021

Sample ID: 2711-2
Laboratory Number: ATL-2126

Extraction Technician: HP
Analytical Chemist: HP

Sample Description/Size: Broad Spectrum Tincture
1000mg per bottle

Unit Weight:30ml



Hernan Prieto

CANNABINOID PROFILE

Order Date
10/21/2021

Analysis Date
10/28/2021

Cannabinoids (HPLC)

Results

Cannabinoid (%)

Test	LOD (mg/g)	mg/bottle	%	0	20	40	60	80	100
Cannabidiarin (CBDV)	<0.5	0	0						
Cannabidiolic Acid (CBD-A)	<0.4	0	0						
Cannabigerolic Acid (CBG-A)	<0.4	0	0						
Cannabigerol (CBG)	<0.5	0	0						
Cannabidiol (CBD)	<0.5	1066.5	3.55						
Cannabinol (CBN)	<0.5	0	0						
Delta 9-Tetrahydrocannabinol (THC)	<0.5	0	0						
Delta 8-Tetrahydrocannabinol	<0.5	0	0						
Delta 10-Tetrahydrocannabinol (THC)	<0.5	0	0						
Cannabichromene(CBC)	<0.5	0	0						
Delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.4	0	0						

Cannabinoids Total

Test	mg/bottle	%	0	20	40	60	80	100
Max Active THC	0	0						
Max Active CBD	1066.5	3.55						
T.Active Cannabinoids	1066.5	3.55						
Total Cannabinoids	1066.5	3.55						

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D = Not Detected

