SA Botanicals.

Customer:

13423 Blanco Rd #105. San Antonio, TX 78216

2711-2

Sample ID: Laboratory Number: ATL-2127



Report Issue Date 10/29/2021

Extraction Technician: HP Analytical Chemist: HP

Hernan Prieto

Sample

Description/Size:

Broad Spectrum Tincture 2000mg per bottle

Unit Weight:30ml



Order Date 10/21/2021

Analysis Date 10/28/2021

CANNABINOID **PROFILE**

Cannabinoids (HPLC)		Results		Ca	Cannabinoid (%)							
Test	LOD (mg/g)	mg/bottle	%	0		20	V	40	#	60	8	100
Cannabidivarin (CBDV)	<0.5	0	0								#	
Cannabidiolic Acid (CBD-A)	<0.4	0	0			12					/	
Cannabigerolic Acid (CBG-A)	<0.4	0	0			1	//	1		1		
Cannabigerol (CBG)	<0.5	0	0						/		X	
Cannabidiol (CBD)	<0.5	2130.0	7.10	IIII								
Cannabinol (CBN)	<0.5	0	0									
Delta 9-Tetrahydrocannabinol (THC)	<0.5	0	0									
Delta 8-Tetrahydrocannabinol	<0.5	0	0	<u> </u>	\wedge							
Delta 10-Tetrahydrocannabinol (THC)	<0.5	0	0].(1	
Cannabichromene(CBC)	<0.5	0	0		/ }				1			
Delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.4	0	0									

Cannabinoids Total

Test	4/////	mg/bottle	%	0	20	40	60	80 100
Max Active THC		0	0					
Max Active CBD		2130.0	7.10	MII				
T.Active Cannabinoids		2130.0	7.10	JIII				
Total Cannabinoids		2130.0	7.10	IIII				

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

