SA Botanicals. 13423 Blanco Rd #105. Customer: San Antonio, TX 78216

Sample ID: 2711-2 Laboratory Number: ATL-2125



CERTIFICATE OF ANALYSIS

Report Issue Date 10/29/2021

Extraction Technician: HP Analytical Chemist: HP

Hernan Prieto

Sample Description/Size: Broad Spectrum Tincture 500mg per bottle

Unit Weight:30ml

CANNABINOID PROFILE



Order Date	Analysis Date
10/21/2021	10/28/2021

Cannabinoids (HPLC)		Resi	Ca	Cannabinoid (%)							
Test	LOD (mg/g)	mg/bottle	%	0	$\langle \rangle$	20	40	#	60	80	100
Cannabidivarin (CBDV)	<0.5	0	0						K.		
Cannabidiolic Acid (CBD-A)	<0.4	0	Q		//		1	$\left \right\rangle$			
Cannabigerolic Acid (CBG-A)	<0.4	0	0		l						
Cannabigerol (CBG)	<0.5	0	0					\langle			
Cannabidiol (CBD)	<0.5	549.0	1.83	Ш		<					
Cannabinot (CBN)	<0.5	0	0			\leq					
Delta 9-Tetrahydrocannabinol (THC)	<0.5	0	0			7		\frown			
Delta 8-Tetrahydrocannabinol	<0.5	0	0								
Delta 10-Tetrahydrocannabinol (THC)	<0.5	0	0	7)())	$\langle \rangle$		\square			
Cannabichromene(CBC)	<0.5	0	0	<u> </u>							
Delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.4	0	O			\mathbb{N}		X	\int		
Cannabinoids Total		X	X			H	K				
Test		mg/bottle	%	0		20	40		60	80	100
Max Active THC		0	0		\bigvee						

Max Active THC 0 0 Max Active CBD 549.0 1.83 T.Active Cannabinoids 549.0 1.83 Total Cannabinoids 549.0 1.83

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.



Tel: (954) 515-0200